## <u>AMENDMENTS TO THE CLAIMS</u>

A unitary cue tip cap for use with a cue stick having an end with 1. (Currently amended) a tip having an outer diameter, the cue tip cap comprising:

a generally cylindrical sleeve having an open second end and a first end having an opening and an outer surface and an inner surface formed to be spaced a short distance away from the tip of the cue stick when used, the sleeve having an inner diameter capable of closely accommodating the outer diameter of the tip of the cue stick;

a knob having a cylindrical cavity formed with receiving threads; and means for attaching the knob to the outer surface of the first end of the sleeve, the means comprising a screw having a threaded shank and a head, the screw being inserted into the sleeve through the open second end of the outer sleeve, and the threaded shank screwed through the opening in the first end of the sleeve and into the cavity in the knob, the head of the screw being held inside the sleeve; and

a small cushion held in place against the head of the screw inside the sleeve; a person holding the knob when pushing the open second end of the sleeve over the tip of the cue stick and when pulling the sleeve off the end of the cue stick.

- 2. (Original) The cue tip cap claim 1 wherein the cylindrical sleeve has an inner surface that is slightly frusto-conical in shape.
- 3. (Original) The cue tip cap of claim 2 wherein the inner surface is formed with a plurality of longitudinal grooves extending generally between the first end of the sleeve and the

open second end of the sleeve.

- 4. (Original) The cue tip cap of claim 2 wherein the inner surface is formed with a plurality of longitudinal splines extending generally between the first end of the sleeve and the open second end of the sleeve.
- 5. (Cancelled)
- 6. (Cancelled)
- 7. (Cancelled)
- 8. (Cancelled)
- 9. (Cancelled)
- 10. (Cancelled)
- 11. (Currently amended) A unitary cue tip cap for use with a cue stick having an end with a tip having an outer diameter, the cue tip cap comprising:
  - a generally cylindrical inner sleeve having an open second end and a first end having an inner surface formed to be spaced a short distance away from the tip of the cue stick when used, the sleeve having an inner diameter capable of closely accommodating the outer diameter of the tip of the cue stick;
  - a threaded stud having a first end and a second end, the first end of the stud being embedded in the first end of the inner sleeve and the second end of the stud extending outwardly from the first end of the inner sleeve along a longitudinal axis;
  - an outer sleeve having a first end with an opening and an open second end, the sleeve having an inner surface formed to accommodate the inner sleeve, the

outer sleeve made from a hard plastic material and the inner sleeve made from a deformable material;

a knob having a cylindrical cavity formed with receiving threads;

the inner sleeve being inserted into the outer sleeve through the open second end of the outer sleeve, and the second end of the stud being threaded through the opening in the first end of the outer sleeve and then threaded into the cavity in the knob; a person holding the knob when pushing the open end of the inner sleeve of the cue tip cap over the tip of the cue stick and when pulling the cue tip cap off the end of the cue stick.

- 12. (Original) The cue tip cap of claim 11 wherein the cylindrical inner sleeve has an inner surface that is slightly frusto-conical in shape.
- 13. (Original) The cue tip cap of claim 12 wherein the inner surface of the inner sleeve is formed with a plurality of longitudinal grooves extending generally between the first end of the inner sleeve and the open second end of the inner sleeve.
- 14. (Original) The cue tip cap of claim 12 wherein the inner surface of the inner sleeve is formed with a plurality of longitudinal splines extending generally between the first end of the inner sleeve and the open second end of the inner sleeve.
- 15. (Cancelled)